



## Applications

- Particularly adapted for alcohol transfer up to 99 %.
- Suitable for all drinks : wine, beer, fruit juice, milk, etc.

- Designed for equipment of:
  - production plants (distillery, spirit and liqueur producer, etc) ;
  - loading or unloading bays from road and rails tankers.

## Advantages

- Very flexible and anti-kinking resistant hose.
- White UPE inner tube accepting alcohol stagnation without risk of migration.
- Odourless and tasteless inner tube.
- Non-marking, abrasion resistant cover.



## Technical description

**Inner tube:** food grade UPE , white, smooth.

**Reinforcement:** synthetic textile, braids.



**Helix:** embedded steel.

**Cover:** NR, blue, fabric impression.

**Temperature range:** - 30 °C to + 80 °C.

### Branding:

- by transfer stripe showing a discontinuous of white trapeziums with :

and  printed in blue on each trapezium.  
 printed in white between trapezium.

- in opposite, continuous embossed marking :

"Trelleborg - ALCODIAL - DN - WP 6 BAR - week / year ".

### Standard / approval:

- CCE Guide for foodstuffs contact.
- Directives of American Food and Drug Administration (FDA).

## Couplings / Fittings

Specially designed fittings are available.

Please contact TRELLEBORG for further information in order to get optimum connections.

ID mm	Wall thickness mm	OD mm	Working pressure bar	Bursting pressure bar	Max. vacuum bar	Bending radius mm	Weight kg/m	Length m	Article No.	Stock item
<b>25.0</b> -0 / +1	5.50	36.0 ±1.0	6	18	0.9	55	0.70	20.0	5501078	●
								40.0	5501079	●
<b>32.0</b> -0 / +1	5.50	43.0 ±1.0	6	18	0.9	70	0.82	20.0	5501080	1
								40.0	5501081	1
<b>38.0</b> -0 / +1	5.50	49.0 ±1.0	6	18	0.9	84	1.13	20.0	5501082	●
								40.0	5501083	●
<b>51.0</b> -0 / +1	5.75	62.5 ±1.5	6	18	0.9	112	1.76	20.0	5501084	●
								40.0	5501085	●
<b>63.0</b> -0 / +1	5.75	74.5 ±1.5	6	18	0.9	139	2.08	20.0	5501086	●
								40.0	5501087	●
<b>70.0</b> -0 / +1	6.50	83.0 ±1.5	6	18	0.9	154	2.54	20.0	5501088	●
								40.0	5501089	●
<b>76.0</b> -0 / +1	6.50	89.0 ±1.5	6	18	0.9	167	2.94	20.0	5501090	●
								40.0	5501091	●

● = Stock item.

1 = Non stock, min. quantity = 400 m.